

MATERIAL SAFETY DATA SHEET

Product Name	ACRYLAMIDE For Electrophoresis
---------------------	---------------------------------------

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ACRYLAMIDE For Electrophoresis

Product code : A0061

Identification of the product: ACRYLAMIDE

CAS No : 79-06-1

1.2 Relevant identified uses of the substance or mixture and uses advised

againstUse: Industrial. For professional use only.

1.3 Details of the supplier of the safety data sheet

Company identification: CYNOR

National industry, Pipodra GIDC, Surat-394110, Gujarat, India.

Email: cynorlaboratories@gmail.com **Mobile No.:** +91 8799070507

2. Hazards identification -DSD

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301

Category 3

Acute toxicity (dermal), H312

Category 4

Acute toxicity (inhal.), H332

Category 4

Skin corrosion/irritation, H315

Category 2

Serious eye damage/eye

irritation, Category 2

Sensitisation — Skin, H317 H319

category 1

Germ cell mutagenicity, H340

Category 1A

Carcinogenicity, Category H350

1A

Reproductive toxicity, H361f

Category 2

Specific target organ H372

toxicity — Repeated

exposure, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.1; R45

Muta.Cat.1;

R46T; R23

T; R24

Address: National industry, Pipodra GIDC, Surat-394110, Gujarat, India.

Email: cynorlaboratories@gmail.com Mobile No.: +91 8799070507

T; R25

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2 Label element

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to display

Symbol(s): T : Very toxic



R Phrase(s):R45: May cause cancer.

R46: May Cause heritable genetic damage.

S Phrase(s) :S53: Avoid exposure – obtain special instruction before use.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Hazard pictograms :



Signal word : Danger

Hazard statements : H301 - Toxic if swallowed

H312+H332 - Harmful in contact with skin or if inhaled

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H340 - May cause genetic defects

H350 - May cause cancer

H361f - Suspected of damaging fertility

H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary statements P201 - Obtain special instructions before use

P280 - Wear protective gloves, protective clothing, eye protection, face protection

P301+P310 - IF SWALLOWED: Immediately call a doctor

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P308+P313 - IF exposed or concerned: Get medical advice/attention

2.3 Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

3. Composition/information on ingredients

Substance / Preparation: ACRYLAMIDE FOR SYNTHESIS

CAS No :79-06-1

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1 Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Wash with plenty of soap and water. Get medical advice/attention. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Obtain emergency medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause genetic defects. May cause cancer. Suspected of damaging fertility.

Causes damage to organs through prolonged or repeated exposure.

Symptoms/injuries after inhalation : Harmful if inhaled.

Symptoms/injuries after skin contact : Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Toxic if swallowed.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2 Specific hazards arising from the substance or mixture

No additional information available

5.3 Advice for fire-fighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For emergency responders:

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

For non-emergency personnel:

Emergency procedures : Evacuate unnecessary personnel.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4 Reference to other sections

No additional information available

7. Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid dust formation. Do not breathe vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s)

No additional information available

8. Exposure controls/personal protection

8.1 Control parameter

No additional information available

8.2 Exposure control

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 83 - 85 °C

Freezing point : No data available

Boiling point : 125 °C

Flash point : No data available

Auto-ignition temperature : 240 °C

Decomposition temperature : 84 °C

Flammability (solid, gas) : No data available

Vapour pressure : 0.007 mm Hg at 20 °C

Relative vapour density at 20 °C : 2.45

Relative density : No data available

Density : 1.122 g/cm³

Solubility : Water: Soluble

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2 Other information

No additional information available

10. Stability and reactivity

10.1 Reactivity

No additional information available

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No additional information available

10.4 Conditions to avoid

Water, humidity. Moisture. Air contact.

10.5 Incompatible materials

No additional information available

10.6 Hazardous decomposition products

No additional information available

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Harmful in contact with skin.

Inhalation: Harmful if inhaled.

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation. Respiratory or

skin sensitisation : May cause an allergic skin reaction. Germ cell

mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : Suspected of damaging fertility. Specific

target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Toxic if swallowed. Toxic in contact with skin.

12. Ecological information

12.1 Toxicity

No additional information available

12.2 Persistence and degradability

No additional information available

12.3 Bioaccumulative potential

No additional information available

12.4 Mobility in soil

No additional information available

12.5 Results of PBT and vPvB assessment

Acrylamide 98% (79-06-1)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

Acrylamide 98% (79-06-1)

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6 Other adverse effects

No additional information available

13. Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...
Ecology - waste materials : Hazardous waste due to toxicity.

14. Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1 UN number

UN-No. (ADR) : 2074
UN-No. (IMDG) : 2074
UN-No.(IATA) : 2074
UN-No.(ADN) : 2074
UN-No. (RID) : 2074

14.2 UN proper shipping name

Proper Shipping Name (ADR) : ACRYLAMIDE
Proper Shipping Name (IMDG) : ACRYLAMIDE, SOLID
Proper Shipping Name (IATA) : ACRYLAMIDE, SOLID
Proper Shipping Name (ADN) : ACRYLAMIDE, SOLID
Proper Shipping Name (RID) : ACRYLAMIDE, SOLID
Transport document description (ADR) : UN 2074 ACRYLAMIDE, 6.1, III, (E)
Transport document description (IMDG) : UN 2074 ACRYLAMIDE, SOLID, 6.1, III
Transport document description (IATA) : UN 2074 ACRYLAMIDE, SOLID, 6.1, III
Transport document description (ADN) : UN 2074 ACRYLAMIDE, SOLID, 6.1, III
Transport document description (RID) : UN 2074 ACRYLAMIDE, SOLID, 6.1, III

14.3 Transport hazard class(es)

ADR : Transport hazard class(es) (ADR) : 6.1
Danger labels (ADR) : 6.1
IMDG : Transport hazard class(es) (IMDG) : 6.1
Danger labels (IMDG) : 6.1
IATA : Transport hazard class(es) (IATA) : 6.1
Hazard labels (IATA) : 6.1
AND : Transport hazard class(es) (ADN) : 6.1
Danger labels (ADN) : 6.1
RID : Transport hazard class(es) (RID) : 6.1
Danger labels (RID) : 6.1

14.4 Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III



CYNOR LABORATORY

Address: National industry, Pipodra GIDC, Surat-394110, Gujarat, India.

Email: cynorlaboratories@gmail.com Mobile No.: +91 8799070507

14.5 Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6 Special precautions for user

Overland transport

Classification code (ADR) : T2

Limited quantities (ADR) : 5kg

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container

instructions (ADR) : T1

Portable tank and bulk container special

provisions (ADR) : TP33

Tank code (ADR) : SGAH, L4BH

Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Special provisions for carriage - Bulk

(ADR) : VC1, VC2, AP7

Special provisions for carriage - Loading,

unloading and handling (ADR) : CV13, CV28

Special provisions for carriage - Operation

(ADR) : S9

Hazard identification number (Kemler No.) : 60

Orange plates : Tunnel restriction code (ADR) : E

EAC code : 2X

- Transport by sea

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-A

Stowage category (IMDG) : A

Stowage and handling (IMDG) : SW1, H2

MFAG-No : 153P

- Air transport

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y645

PCA limited quantity max net quantity

(IATA) : 10kg

PCA packing instructions (IATA) : 670

PCA max net quantity (IATA) : 100kg



CYNOR LABORATORY

Address: National industry, Pipodra GIDC, Surat-394110, Gujarat, India.

Email: cynorlaboratories@gmail.com Mobile No.: +91 8799070507

CAO packing instructions (IATA) : 677

CAO max net quantity (IATA) : 200kg

ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T2

Special provisions (ADN) : 802

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : T2

Limited quantities (RID) : 5kg

Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container
instructions (RID) : T1

Portable tank and bulk container special
provisions (RID) : TP33

Tank codes for RID tanks (RID) : SGAH, L4BH

Special provisions for RID tanks (RID) : TU15

Transport category (RID) : 2

Special provisions for carriage – Bulk (RID) : VC1, VC2, AP7

Special provisions for carriage – Loading and unloading (RID) : CW13, CW28, CW31
Colis express (express parcels) (RID) : CE11

Hazard identification number (RID) : 60

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

No REACH Annex XVII restrictions

Acrylamide is on the REACH Candidate List

Acrylamide 98% is not on the REACH Annex XIV List

15.1.2 National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water
(KBwS-Beschluss; WGK No 716)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident
Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed
to use the product



CYNOR LABORATORY

Address: National industry, Pipodra GIDC, Surat-394110, Gujarat, India.

Email: cynorlaboratories@gmail.com Mobile No.: +91 8799070507

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2 Chemical safety assessment

No additional information available

16. Other information

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Further information : None.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008 **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness.

The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge.

For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

Prepared by: CYNOR

For questions contact: CYNOR

Office: CYNOR

National industry, Pipodra GIDC, Surat-394110, Gujarat, India.

Email: cynorlaboratories@gmail.com **Mobile No.:** +91 8799070507

(The statements contained herein are offered for informational purposes only and are based upon technical data that CYNOR believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)