

MATERIAL SAFETY DATA SHEET

PRODUCT NAME	2-AMINO-2-METHYL-PROPAN-1-OL
---------------------	-------------------------------------

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 2-Amino-2-Methyl-Propan-1-OL

CAS-No. : 124-68-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company: CYNOR LABORATORIES

National industry, Pipodra GIDC, Surat-394110, Gujarat, India.

Email: cynorlaboratories@gmail.com Mobile No.: +91 8799070507

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger Corrosive to metals

Hazard statement(s)

H315

Causes skin irritation.

H318

Causes serious eye damage.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P273 Avoid release to the environment.
 P280 Wear eye protection/ face protection.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Supplemental Hazardnone Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : β -Aminoisobutyl alcohol AMP 95
 Formula : C₄H₁₁NO
 Molecular weight : 89.14 g/mol
 CAS-No. : 124-68-5

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
2-Amino-2-methylpropanol		
CAS-No.	124-68-5	<= 100 %
EC-No.	204-709-8	
Index-No.	603-070-00-6	
	Skin Irrit. 2; Eye Irrit. 1; Aquatic Chronic 3; H315, H318, H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2 .2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If th full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|-----------------------------------|
| a) Appearance | Form: liquid |
| b) Odour | No data available |
| c) Odour Threshold | No data available |
| d) pH | 11.0 - 12.0 at 8.9 g/l at 25 °C |
| e) Melting point/freezing lit. point | Melting point/range: 24 - 28 °C - |
| f) Initial boiling point and lit. boiling range | 165 °C - |
| g) Flash point | 68 °C - closed cup |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapour pressure | < 1 mmHg at 25 °C |
| l) Vapour density | 3.08 - (Air = 1.0) |
| m) Relative density | 0.934 g/cm ³ at 20 °C |
| n) Water solubility | soluble |
| o) Partition coefficient: n-octanol/water | log Pow: - |
| p) Auto-ignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

- | | |
|-------------------------|--------------------|
| Relative vapour density | 3.08 - (Air = 1.0) |
|-------------------------|--------------------|

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Oxidizing agents, Strong acids, Copper, Brass, Aluminum

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NO_x)

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 2,200 mg/kg(2-Amino-2-methylpropanol)

(OECD Test Guideline 401)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg(2-Amino-2-methylpropanol)

(OECD Test Guideline 402)

Skin corrosion/irritation

No data available(2-Amino-2-methylpropanol)

Serious eye damage/eye irritation

Eyes - Rabbit(2-Amino-2-methylpropanol)

Result: Risk of serious damage to eyes.

Respiratory or skin sensitisation

Buehler Test - Guinea pig(2-Amino-2-methylpropanol)

Did not cause sensitisation on laboratory animals.

(OECD Test Guideline 406)

Germ cell mutagenicity

in vitro assay(2-Amino-2-methylpropanol)

mouse lymphoma cells

Result: negative

OECD Test Guideline 474(2-Amino-2-methylpropanol)

Mouse - male and female

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available(2-Amino-2-methylpropanol)

Specific target organ toxicity - single exposure

No data available(2-Amino-2-methylpropanol)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(2-Amino-2-methylpropanol)

Additional Information

Repeated dose toxicity - Rat - male - Oral - No observed adverse effect level - 23 mg/kg(2-Amino-2-methylpropanol)

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(2-Amino-2-methylpropanol)

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d(2-Amino-2-methylpropanol)
Result: 40 % - Not readily biodegradable. (OECD Test Guideline 301F)

Biochemical Oxygen Demand (BOD) < 10 mg/l(2-Amino-2-methylpropanol) Concentration: 1 g/l

Chemical Oxygen Demand (COD) 2,050 mg/g(2-Amino-2-methylpropanol)

12.3 Bioaccumulative potential

Bioaccumulation Chlorella fusca vacuolata - 1 d
- 50 µg/l(2-Amino-2-methylpropanol)

Bioconcentration factor (BCF): 320

12.4 Mobility in soil

No data available(2-Amino-2-methylpropanol)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Harmful to aquatic life with long lasting effects.

Additional ecological information Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Dissolve or mix the material with a combustible solvent and burn in a chem scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG:-IATA: -

IMDG: Not dangerous goods IMDG:- IATA: -

IATA: Not dangerous goods IMDG:-IATA: -

14.3 Transport hazard class(es)

ADR/RID: -

14.4 Packaging group

ADR/RID: -

14.5 Environmental hazards

ADR/RID: no

14.6 Special precautions for user

No data available



CYNOR LABORATORY

Address: National industry, Pipodra GIDC, Surat-394110, Gujarat, India.
Email: cynorlaboratories@gmail.com Mobile No.: +91 8799070507

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Further information : None. In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation(CE) N° 1272/2008

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness.

The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge.

For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

Prepared by: CYNOR LABORATORIES

For questions contact: CYNOR LABORATORIES

Office: CYNOR LABORATORIES

National industry, Pipodra GIDC, Surat-394110, Gujarat, India.

Email: cynorlaboratories@gmail.com Mobile No.: +91 8799070507

(The statements contained herein are offered for informational purposes only and are based upon technical data that CYNOR believes to be accurate. It is intended for use only by persons having the necessary technical skills and at their own discretion and risk. Since conditions and manner of use are outside our control, we make NO WARRANTY, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE.)